



Disassembly Hot Tips

We are pleased to offer a number of tips to help with a successful Disassembly.

BEFORE YOU START



- Treat any loaded **mat rod** and **enclosure rod** with caution until you are sure it is properly installed or uninstalled. Keep your face well away from any loaded rod.
- Both people must maintain a steady grip on the **mat rod** until it is in its resting place.
- Do not attempt to use the trampoline if not completely assembled.
- Do not remove the **legs** or any **frame** section if the **mat** is still attached.
- Never attempt to remove an **enclosure rod** from the **net rod pocket** while the **enclosure rod** is still inserted in the **frame**.




Image to be created with parts listed on side

Enclosure Net Rod Tip

- If you are having difficulty removing the **enclosure net rod** from the **net rod pocket**, twist the ball end of the rod and pull to release it. If that doesn't work, pour water into the **net rod pocket** so the webbing can absorb the water and expand.
- If you are having trouble removing the **enclosure net rod** from the **frame** using your dominate hand, pull the rod towards your body, using your other hand to guide it out of the **frame**.

Enclosure Net Tip

- Overtime the webbing at the top of the **net** can shrink, this makes lowering the **net** over the edge of the mat difficult. You will need to pull it down on one side, remove the **mat rods** where the net has been lowered, then go ahead do the other half the same way.

Mat Rod Tips

NOTE




Following the sequence shown maintains the tension evenly across the **mat** if you do not follow this sequence, it will be very difficult to remove the **mat**.

TIP





- If your **mat rods** are stuck in the **frame** then try taking out the rods using the ball head. After that you can take out the rods and twist and take out the sleeves.
- When you remove a **Mat rod** from the mat do not twist or rotate the **mat edge**, this could cause serious injury or damage the Trampoline



Outside Person

- Hold the **mat edge** flat with your left hand as shown. Push up behind the **mat rod holder** tab without obstructing the opening. This prevents the ball from catching in the **mat**.
- Hold the **mat rod** near the ball end with your palm facing up and bend your arm at a right angle as shown.
- Pull your elbow into your hip and always push using your body weight.
- Push the **mat rod** out of the mat rod holder, guiding the ball along the path shown.
- In one swift movement:
 1. Up and forward into the mat underside, out of the **mat rod holder**.
 2. Down and away from the mat underside.
 3. Back towards you, easing it to a resting position.


- Moving clockwise between the blue ■ Tag locations, (Images Below) remove every other installed **mat rod** (remove one, skip one) Do NOT remove the **mat rods** at the blue ■  tag locations.
- Repeat the above step (removing every other installed **mat rod**), several times around the trampoline, until only the **mat rods** at the blue ■ tag locations remain.
- Continue clockwise removing the final **mat rods** at each of the blue ■ tag locations. Pulling the mat edge while pushing the rod will be required to uninstall these rods.
- Disassemble the frame in the reverse order to which it was assembled.




Inside Person

- Hold the **mat rod** with both hands as shown to assist the outside person,
- Pull the mat rod to assist the outside person in guiding the ball up and out of the **mat rod holder**.
- Maintain a steady grip until the call is securely removed from the **mat rod holder**.


Mini Round




Compact Round




Compact Oval




Medium Round




Medium Oval



Large Oval



Large Square



Jumbo Round

